



Main Crop Turnip



Later maturing than stubble turnips and with higher dry matter, higher yields and better winter hardiness. They have a growing period of 12 – 15 weeks and provide excellent autumn and early winter feed for sheep and cattle.

Green Globe turnips produce soft, easily eaten, roots that are well anchored into the ground, suitable for grazing by all types of stock. They will provide a very high fresh yield from large bulbs and are utilised between October and January, preferably strip grazed to reduce waste.

Ratings

| | |
|-----------------------------|--|
| Dry Matter Yield | <div style="width: 80%; height: 10px; background-color: green;"></div> |
| Crude Protein | <div style="width: 85%; height: 10px; background-color: green;"></div> |
| Digestibility | <div style="width: 80%; height: 10px; background-color: green;"></div> |
| Metabolisable Energy | <div style="width: 80%; height: 10px; background-color: green;"></div> |
| Bulb Size | <div style="width: 70%; height: 10px; background-color: green;"></div> |
| Bolting Resistance | <div style="width: 80%; height: 10px; background-color: green;"></div> |
| Winter Hardiness | <div style="width: 85%; height: 10px; background-color: green;"></div> |

| Seed Rate | Pack Size |
|---------------------------------------|-----------|
| Drill 2.5 - 3.5kg/ha Broadcast 5kg/ha | 2kg |

Stock should be introduced gradually over a two week period and an area of grassland should be available for animals to return to; water and hay or straw should also be made available. Please contact your supplier for further guidance.